----- POPULATION ESTIMATES ------ CANCER INCIDENCE ------ LOCAL PUBLIC HEALTH -----

	POPULATION	N ESTIMATES	5	CANCE	R INCIDEN	CE	LOCAL PUBLIC H	EALTH	
									Per
	999 Populat	tion Est	14,930	(Cancer incid	dence is :	tor 1998)	Activities Reported	Number	10,000
Perce	nt Female		50.2			_			
				Primary Site		Number	Public Health Nursing		
Populat:	ion per squ	are mile	18				Total clients Total visits	39	26
	in state		62	Breast		27		368	246
	ighest popu			Cervical			Visits: Reason for		
72=1	owest popul	lation dens	sity.)	Colorectal		21		4	
				Trachea, Broncl	hus, Lung	6	Infant/child hlth		1
Age	Female	Male	Total	Prostate		12	Infectious & parasitic	1	1
0-14	1,260	1,350	2,620	Other sites		39	Circulatory Prenatal	15	10
15-19	510	590	1,100	Total		105	Prenatal	2	1
20-24	400	440	840			İ	Postpartum	1	1
25-29	330	350	680	LONG-	-TERM CARI	⊆ (	-		
30-34	320	370	680			΄Ι	WIC Participants	615	412
35-39	540	530	1,080	Community Option	ns and MA	Waiver	<del>-</del>		
40-44	620	570	1,180	Programs	and Im		Clinic Visits	5.285	3.530
45-54		1,110	2,180		Clients	Costs	Immunization	1 612	1 077
55-64	890	870	1,760			\$334,039	Blood pressure	2/7	165
	750	600	1,440	N/N T			Clinic Visits Immunization Blood pressure	247	103
75-84	750 570	680 440	1,010	MA Walvels	27	\$1,542,179 \$2,372,985 \$30,503 \$623,542	Environmental Contacts		
	270	120		CIPIA	27	\$1,344,179			
85+	230	130 7,440	360	CIPIB	94	\$4,374,985	Env hazards Public health nuisance	•	•
Total	7,490	7,440	14,930	CIPZ	100	\$30,503	Public nealth nulsance	•	•
_				COP-W	123	\$623,542			
Age	Female	Male	Total	CSLA	<u>:</u>	\$0 \$257,456			
0-17	1,540	1,700		Brain Inj	5	\$257,456			
18-44	2,440	2,500	4,930 3,940	Total COP/Wvrs	287	\$5,160,703			
45-64	1,960	1,980				ļ			
65+	1,550		2,810			Waiver costs	Health Education		
Total	7,490	7,440	14,930	were paid as			Community sessions		
				using COP fund			Community attendance	1,025	685
	estimates			not included :	in above (	COP costs.	School sessions		
include	d in the 19	97 profile	es.				School attendance		
Poverty	statistics	s will be u	pdated	* Waiver costs	reported h	nere			
after t	he 2000 Cer	nsus.)	-	include federa	al fundino	a. '	Staffing - FTEs		
					•		Total staff	12 1	7.7
i	EMPLO	OYMENT				ĺ	Administrators	1	0.7
	wage for jo			Home Health Age	ncies	4	Public health nurses	4	2.7
	loyment Con			<b>Home Health Age</b> Patients		476	Public health nurses Public health aides	2	1.3
	erage wage			Patients per 10			Environmental specialist		
	work, not			1 TACTOTICS PCI IV	c, 500 pop	. 517	LIIVII OILLICIICAI SPECIAIIS		0.,
	,, oli, 110c	PIGCO OF I	coraciice.	Nursing Homes		2			
Labor Fo	rce Estimat	eg Annus	1 Average	Licensed heds		2   160	LOCAL PUBLIC HEALT	יים שווים נויו	NC
	n labor for			Occupancy rate		700 F	(funding data not a		
Number	r canor ror	.CE	52,U12 50 770	Residents on 12			(Tunding data not a	avarraDI	C /
Nullibe:	r employed r unemploye		1 242						
Numbe:	r unemproye	ea	1,242	Residents aged					
				per 1,000 por		50			

TOTAL LIVE BIRTHS		155	Birth Order	Births	Percent	Marital	Status		
			First	62	40	of Moth	er	Births	Percent
Crude Live Birth Rate		10.4	Second	45	29	Married		114	74
General Fertility Rate	9	57.3	Third	33	21	Not mar	ried	41	26
			Fourth or higher	15	10	Unknown		0	0
Live births with repor	rted		Unknown	0	0				
congenital anomalies		3 . %				Education	on		
			First Prenatal			of Moth		Births	Percent
Delivery Type	Births	Percent	Visit	Births	Percent		ary or less		0
Vaginal after			1st trimester	123	79		ah school	19	12
previous cesarean	5	3	2nd trimester	26	17	High sch		58	37
Forceps	2	1	3rd trimester	4	3	Some co.		45	29
Other vaginal	108	70	No visits	1	1		graduate	_	21
Primary cesarean	31	20	Unknown	1	1	Unknown		0	0
Repeat cesarean	9	20 6	UIRIOWII	1	Τ.	OHAHOWH		U	U
Other or unknown	0	0	Number of Prenata	,		Cmale i ma	C+ 0+		
other or unknown	U	U	Number of Prenata Care visits	I Births	Doncont	Smoking of Moth		Births	Dorgont
Birth Waight	Dinth-	Percent	No visits	Birtns	Percent	Smoker	er_	37	Percent 24
Birth Weight <1,500 gm	Birtns		NO VISITS 1-4 visits	_	8	Nonsmoke		_	24 75
		1.3		12	-			117	
1,500-2,499 gm	10	6.5	5-9 visits	28	18	Unknown		1	1
	4.40								
2,500+ gm	143	92.3	10-12 visits	72	46				
	143		10-12 visits 13+ visits Unknown	41 1	26 1				
2,500+ gm			13+ visits Unknown  Low Birth Weight	41 1	26 1 Trimest	er of Fir	st Prenatal	. Visit	
2,500+ gm Unknown		0.0	13+ visits Unknown	41 1	26 1		st Prenatal imester		/Unknown
2,500+ gm Unknown	0	0.0	13+ visits Unknown  Low Birth Weight	41 1 1st Tr Births	26 1 Trimest	2nd Tr		Other	-
2,500+ gm	0 Total B	0.0	13+ visits Unknown  Low Birth Weight (under 2,500 gm)	41 1 1	26 1 Trimest imester	2nd Tr	imester	Other	-
2,500+ gm Unknown Race of Mother	0 Total B	0.0 Sirths	13+ visits Unknown  Low Birth Weight (under 2,500 gm) Births Percent	41 1 1st Tr Births	26 1 Trimest imester Percent	2nd Tr Births	imester Percent	Other, Births	Percent
2,500+ gm Unknown  Race of Mother White Black	Total B Births F	0.0 Sirths Percent	13+ visits Unknown  Low Birth Weight (under 2,500 gm) Births Percent	41 1 1st Tr Births	26 1 Trimest imester Percent	2nd Tr Births	imester Percent	Other, Births	Percent
2,500+ gm Unknown  Race of Mother White Black Other	Total B Births F 154	0.0 Sirths Percent 99 0	13+ visits Unknown  Low Birth Weight (under 2,500 gm) Births Percent	41 1 1st Tr Births 123	26 1 Trimest imester Percent	2nd Tr Births 25	imester Percent	Other, Births	Percent
2,500+ gm Unknown  Race of Mother White Black Other	Total B Births P 154 0 1	0.0 Sirths Percent 99 0 1	13+ visits Unknown  Low Birth Weight (under 2,500 gm) Births Percent  11 7.1 *	41 1 1st Tr Births 123	Trimest imester Percent 80 .	2nd Tr Births 25 *	imester Percent 16 .	Other, Births 6	Percent
2,500+ gm Unknown Race of Mother White	Total B Births F 154 0 1	0.0 Sirths Percent 99 0 1	13+ visits Unknown  Low Birth Weight (under 2,500 gm) Births Percent  11 7.1   *  Low Birth Weight	41 1 1st Tr Births 123	Trimest imester Percent 80	2nd Tr Births 25 *	imester Percent  16 st Prenatal	Other, Births 6 Visit	Percent 4
2,500+ gm Unknown  Race of Mother White Black Other Unknown	Total B Births F  154 0 1 0	0.0  Sirths Percent 99 0 1 0	13+ visits Unknown  Low Birth Weight (under 2,500 gm) Births Percent  11 7.1   * Low Birth Weight (under 2,500 gm)	1st Tr Births 123 . *	Trimest imester Percent 80	2nd Tr Births 25 er of Firs 2nd Tr	imester Percent  16 st Prenatal	Other/Births 6 . * . Visit Other/	Percent 4
2,500+ gm Unknown  Race of Mother White Black Other Unknown  Age of Mother	Total B Births F  154 0 1 0 Fe Births	0.0  Sirths Percent 99 0 1 0	13+ visits Unknown  Low Birth Weight (under 2,500 gm) Births Percent  11 7.1   *  Low Birth Weight	1st Tr Births 123 . *	Trimest imester Percent 80	2nd Tr Births 25 er of Firs 2nd Tr Births	imester Percent  16 st Prenatal imester Percent	Other/Births 6 . * . Visit Other/	Percent 4
2,500+ gm Unknown  Race of Mother White Black Other Unknown  Age of Mother <15	Total B Births F  154 0 1 0 Fe Births	0.0  Sirths  Percent 99 0 1 0 ertility Rate	13+ visits Unknown  Low Birth Weight (under 2,500 gm) Births Percent  11 7.1   * Low Birth Weight (under 2,500 gm)	1st Tr Births 123	Trimest imester Percent 80 Trimest imester Percent	2nd Tr Births 25 er of Firs 2nd Tr Births	imester Percent  16 st Prenatal imester Percent .	Other/Births 6 . * . Visit Other/	Percent 4
2,500+ gm Unknown  Race of Mother White Black Other Unknown  Age of Mother <15 15-17	Total B Births F  154 0 1 0 Fe Births	0.0  Sirths Percent 99 0 1 0 ertility Rate	13+ visits Unknown  Low Birth Weight (under 2,500 gm) Births Percent  11 7.1 Low Birth Weight (under 2,500 gm) Births Percent	1st Tr Births 123	Trimest imester Percent  80  Trimest imester Percent . 56	2nd Tr Births 25 er of Firs 2nd Tr Births . 4	imester Percent  16 st Prenatal imester Percent . 44	Other/Births 6 . * . Visit Other/	Percent 4
2,500+ gm Unknown  Race of Mother White Black Other Unknown  Age of Mother <15 15-17 18-19	Total B Births P  154 0 1 0  Fe Births 0 9 10	0.0  Sirths Percent 99 0 1 0 ertility Rate	13+ visits Unknown  Low Birth Weight (under 2,500 gm) Births Percent  11 7.1   *  Low Birth Weight (under 2,500 gm) Births Percent	1st Tr Births 123 . * 	Trimest imester Percent  80  Trimest imester Percent . 566 90	2nd Tr Births 25 er of Firs 2nd Tr Births . 4 1	imester Percent  16 st Prenatal imester Percent . 44 10	Other/Births 6 . * Visit Other/Births	Percent 4
2,500+ gm Unknown  Race of Mother White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24	Total B Births F  154 0 1 0  Fe Births 9 10 38	o.0  Sirths Percent 99 0 1 0 ertility Rate	13+ visits Unknown  Low Birth Weight (under 2,500 gm) Births Percent  11 7.1	1st Tr Births 123 . *  1st Tr Births 	Trimest imester Percent  80  Trimest imester Percent  . 56 90 84	2nd Tr Births 25 er of Firs 2nd Tr Births . 4 1 2	imester Percent  16 st Prenatal imester Percent . 44 10 5	Other/Births  6 Visit Other/Births	Percent 4
2,500+ gm Unknown  Race of Mother White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29	Total B Births F  154 0 1 0  Fe Births 9 10 38 48	o.0  Sirths Percent 99 0 1 0  ertility Rate	13+ visits Unknown  Low Birth Weight (under 2,500 gm) Births Percent  11 7.1   *  Low Birth Weight (under 2,500 gm) Births Percent    1 2.6 6 12.5	1st Tr Births 123 . *  1st Tr Births    	Trimest imester Percent  80  Trimest imester Percent  . 56 90 84 79	2nd Tr Births 25 er of Firs 2nd Tr Births 4 1 2 9	imester Percent  16 st Prenatal imester Percent . 44 10 5 19	Other/Births  6 Visit Other/Births 4	Percent  4
2,500+ gm Unknown  Race of Mother White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34	Total B Births F  154 0 1 0  Fe Births 0 9 10 38 48 27	o.0  Sirths Percent 99 0 1 0 ertility Rate	13+ visits Unknown  Low Birth Weight (under 2,500 gm) Births Percent  11 7.1  Low Birth Weight (under 2,500 gm) Births Percent	1st Tr Births 123	Trimest imester Percent  80  Trimest imester Percent  . 56 90 84 79 78	2nd Tr Births 25 er of Firs 2nd Tr Births . 4 1 2 9 5	imester Percent  16 st Prenatal imester Percent . 44 10 5 19 19	Other/Births  6 Visit Other/Births	Percent 4
2,500+ gm Unknown  Race of Mother White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Total B Births F  154 0 1 0  Fe Births 9 10 38 48 27 17	o.0  Sirths Percent 99 0 1 0  ertility Rate	13+ visits Unknown  Low Birth Weight (under 2,500 gm) Births Percent  11 7.1   *  Low Birth Weight (under 2,500 gm) Births Percent   1 2.6 6 12.5 4 14.8 1 5.9	1st Tr Births 123 . *  1st Tr Births     	Trimest imester Percent  80  Trimest imester Percent  . 56 90 84 79 78 82	2nd Tr Births 25 er of Firs 2nd Tr Births . 4 1 2 9 5 3	imester Percent  16 st Prenatal imester Percent  . 44 10 5 19 19 18	Other/Births  6 Visit Other/Births 4	Percent 4
2,500+ gm Unknown  Race of Mother White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34	Total B Births F  154 0 1 0  Fe Births 0 9 10 38 48 27	o.0  Sirths Percent 99 0 1 0  ertility Rate	13+ visits Unknown  Low Birth Weight (under 2,500 gm) Births Percent  11 7.1  Low Birth Weight (under 2,500 gm) Births Percent	1st Tr Births 123	Trimest imester Percent  80  Trimest imester Percent  . 56 90 84 79 78	2nd Tr Births 25 er of Firs 2nd Tr Births . 4 1 2 9 5	imester Percent  16 st Prenatal imester Percent . 44 10 5 19 19	Other/Births  6 Visit Other/Births 4	Percent  4

REPORTED*	CASES	OF	SELECTED	DISEASES

Disease	Number
Campylobacter Enteritis	<5
Giardiasis	<5
Hepatitis Type A	0
Hepatitis Type B**	<5
Hepatitis NANB/C***	
Legionnaire's	0
Lyme	18
Measles	0
Meningitis, Aseptic	0
Meningitis, Bacterial	<5
Mumps	0
Pertussis	0
Salmonellosis	<5
Shigellosis	<5
Tuberculosis	0
1999 provisional data	

- \*\* Includes all positive HBsAg test results
- \*\*\* Unavailable at time of printing

#### Sexually Transmitted Disease

Chlamydia Trachomatis	8
Genital Herpes	<5
Gonorrhea	<5
Nongonococcal Cervicitis	0
Nongonococcal Urethritis	0
Syphilis	

#### ----- IMMUNIZATIONS -----

#### Children in Grades K-12 by Compliance Level

Compliant	3,290
Non-compliant	32
Percent Compliant	99.0

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

#### TOTAL DEATHS 198 Crude Death Rate 1,326

Age	Deaths	Rate
1-4	•	<del></del>
5-14	1	
15-19	•	•
20-34	2	ě
35-54	17	
55-64	20	1,135
65-74	29	2,018
75-84	79	7,838
85+	49	13,613

### Infant

Mortality	Deaths	Rate
Total Infant	1	
Neonatal	1	
Postneonatal Unknown		

# Race of Mother White

Black Other Unknown

## Birth Weight

<1,500 gm	1	•
1,500-2,499 gm		
2,500+ gm	•	
Unknown	•	

# Perinatal

Deaths	Rate
2	
1	
1	
	2 1 1

### Selected

Underlying Cause	Deaths	Rate
Heart Disease (total)	56	375
Ischemic heart disease		
Cancer (total)	59	395
Trachea/Bronchus/Lung		
Colorectal	11	
Female Breast	1	
Cerebrovascular Disease	10	
Lower Resp. Disease		
Pneumonia & Influenza	8	
Injuries	7	
Motor vehicle	2	
Diabetes	1	
Infectious & Parasitic	6	
Suicide	2	

\* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	1	
Other Drugs	3	
Both Mentioned		

----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	Persons Killed
Total Crashes	189	2
Alcohol-Related	31	0
With Citation:		
For OWI	61	0
For Speeding	15	0
Motorcyclist	2	0
Bicyclist	1	0
Pedestrian	4	0

------ HOSPITALIZATIONS ------

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	
Injury-Related	l: All					Alcohol-Relate	ed					
Total	126	8.4	4.5	\$7,981	\$67	Total	58	3.9	5.7	\$3,061	\$12	
<18	8			. ,		18-44	37	7.5	5.4	\$3,031	\$23	
18-44	20	4.1	3.7	\$8,446	\$34	45-64	15				•	
45-64	16		J.,	Q0/110	γ3 <b>1</b>	Pneumonia and		•	•	•	•	
65+	82	29.2	4.8	\$7,873	\$230	Total	111	7.4	4.6	\$6,374	\$47	
Injury: Hip		۵,۰۵	1.0	ψ1 <b>,</b> 013	<b>Ψ</b> 230	<18	7	, . <u>.</u>		Q0,371	•	
Total	30	2.0	6.0	\$8,688	\$17	45-64	18			•	•	
65+	30	10.7	6.0	\$8,688	\$93	65+	77	27.4	5.1	\$5	\$0	
Injury: Pois		10.7	0.0	30,000	493	Cerebrovascula		4/.4	3.1	ŞJ	50	
Total	9					Total	52	3.5	3.2	\$4,078	\$14	
18-44	5	•	•	•	•	10ca1   45-64	7	3.3	3.2	ŞΞ,070	Ϋ́	
10-44	5	•	•	•	•	65+	45	16.0	3.2	\$4,026	\$65	
Darrah i a tori a							_			\$4,020	\$05	
Psychiatric	0.0	- 4		44 000	400	Chronic Obstru		-		44 005	400	
Total	80	5.4	5.5	\$4,279	\$23	Total	80	5.4	3.3	\$4,025	\$22	
<18	5			÷2 000	•	<18	7	•	•	•	•	
18-44	45	9.1	4.1	\$3,002	\$27	18-44	10	•	•	•	•	
45-64	24	6.1	5.8	\$5,319	\$32	45-64	18		•		. •	
65+	6	•	•	•	•	65+	45	16.0	3.7	\$4,586	\$74	
						Drug-Related						
Coronary Heart	Disease					Total	13		•		•	
Total	97	6.5	2.6	\$7,908	\$51	18-44	7	•	•		•	
45-64	34	8.6	2.5	\$9,267	\$80							
65+	60	21.4	2.8	\$7,096	\$152	Total Hospital	lizations					
						Total Total	1,845	123.6	3.5	\$5,469	\$676	
Malignant Neop	lasms (Ca	ncers)	: All			<18	211	65.0	2.9	\$2,875	\$187	
Total	59	4.0	4.8	\$9,421	\$37	18-44	380	77.0	3.0	\$4,104	\$316	
18-44	4					45-64	383	97.2	3.4	\$6,504	\$632	
45-64	18				•	65+	871	310.5	4.0	\$6,237		
65+	36	12.8	5.2	\$9,244	\$119					4-7	4-7	
	· · · · · · · · · · · · · · · · · · ·					, 	PREVENTABLE HOSPITALIZATIONS*					
Total	1			PC	,purucion,	Total	373	25.0	3.5	\$4,720	\$118	
Neoplasms: C	_		•	•	•	<18	25	7.7	1.8	\$1,720	\$15	
Total	13	-				18-44	34	6.9	2.1	\$3,154	\$22	
65+	10	•	•	•	•	45-64	79	20.0	2.9	\$3,134	\$79	
Neoplasms: L		•	•	•	•	65+	235	83.8	4.2	\$5,506	\$461	
Total	1 <b>ung</b> 8											
	O	•	•	•	•	* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization						
Diabetes						The definition of preventable hospitalizations in 1999						
Total	17			•	•	is consistent with the 1997 definition.						
65+	7		•		•	Please refer to the note at the bottom of this page in the						
						1997 report for an explanation of the change made between 1996 and 1997.						